

NE Series Padlocks



High Performance, High Security Padlocks






Key Security & Benefits



* Applicable for MTL[™]800, MTL[™]600, MTL[™]400.

** CEN Grade is model specific (see technical data guide) Illustration represents NE14H.





Part of ASSA ABLOY

JL-T-LOCK°

www.mul-t-lockusa.com

NE Series Padlocks

A padlock is intended to offer high security and the ability to deter break-ins. This can only be achieved if the right padlock is specified. Security is only as good as its weakest link. Knowing the right padlock for the application is critical.

Know Your NE Series Padlock

When it comes to padlocks, size does not necessarily equate with strength. A large padlock made from low quality materials is much easier to break than a smaller, high security one.

Selecting the right padlock requires that you understand a specific application's needs. Then you can match the most appropriate padlock by considering the benefits of each one.

Mul-T-Lock® NE Series Padlocks

NE Padlocks offers high efficiency and high security while maintaining the high performance and serviceability associated with Mul-T-Lock[®] padlocks. With body options offering open and guarded shackle variants, and with the addition of sliding bolt padlocks, the NE series ensures that there is a high security padlock suitable for your needs.

Key Security

The NE series is available with all Mul-T-Lock key platforms. This opens up a range of benefits including patented key security, master key options and our innovative keyed-alike system. Patented key padlocks are supplied with a key cutting card, which will hinder unauthorized duplication of your keys.

Master Key

Where multiple padlocks are required as part of an overall security system, Mul-T-Lock[®] master key systems enable each padlock to have its own key, yet authorized personnel can have a key which can open specified, or all padlocks, as desired.

Keyed Alike

Mul-T-Lock[®] NE Series Padlocks can be keyed alike. This means that you can operate all of your NE Padlocks with the same key for real convenience.



NE10H, NE12H, NE14H




Model			Body		4	Shackle	Standard	
		A	В	С	D	E	F	Grade
NE10H	mm	95	54	25	10	25	18	4
NE12H	mm	101	66	28	12	25	21	5
NE14H	mm	105	66	28	14	26	21	6






Please see our website for full details www.mul-t-lock.com




NE10L, NE12L, NE14L




			Body			Sha	ckle		Standard Grade
Model		A	В	С	D	I	E	F	
						LE1	LE2		
NE10L	mm	95	54	25	10	25	50	28	4
NE12L	mm	101	66	28	12	25	50	30	5
NE14L	mm	105	66	28	14	26	50	32	6

SBNE12






Model			Body		Bolt	& Clear	Standard	
		А	В	С	D	E	F	Grade
SBNE12	mm	28	80	66	12	18	36	5



NE Series Padlocks Technical Data Guide


NE8G, NE10G



			Body			Sha	ckle		
		А	В	С	D	1	E,	F	Standard
Model						LG1	LG2		Grade
NE8G	mm	87	54	25	8	27	50	24	3
NE10G	mm	88	54	25	10	26	50	22	3

SBNE10





			Body		Bolt 8	& Clear	Standard	
Model		А	В	С	D	E	F	Grade
SBNE10	mm	25	64	54	10	9	26	3

